

CONTENTS OF VOLUME 30

- ATOMIC ENERGY OF CANADA LTD. TECHNICAL RELEASE—Nuclear constants for reactor studies, 624.
- BARNES, C. A., JAMES, D. B., and NEILSON, G. C.—Angular distribution of the gamma rays from the reaction $N^{14}(p, \alpha\gamma)C^{12}$, 717 (L).
- BELL, R. E.—See Graham, R. L.
- BELL, R. E., GRAHAM, R. L., and PETCH, H. E.—Design and use of a coincidence circuit of short resolving time, 35.
- BETTS, D. D.—See MacDonald, A. D.
- BRECKON, S. W.—See Martin, W. M.
- BUCKMASTER, H. A.—Radial matrix element for the quadrupole transition with the Morse potential, 314.
- CAMERON, A. G. W.—See Haslam, R. N. H.
- CARMICHAEL, H.—Design and performance of a fused silica microbalance, 524.
- CHALMERS, B.—See Teghtsoonian, E.; Weinberg, F.; Winegard, W. C.
- COLLADAY, G. S.—See Falkoff, D. L.
- COOKE, J. A.—See Haslam, R. N. H.
- CORMACK, D. V.—See Johns, H. E.
- CRAWFORD, M. F.—See Welsh, H. L.
- CRAWFORD, M. F., WELSH, H. L., and HARROLD, J. H.—Rotational wings of Raman bands and free rotation in liquid oxygen, nitrogen, and methane, 81.
- CROSBY, E. H.—See Haslam, R. N. H.
- DAYKIN, P. N.—An analysis of the self-energy problem for the electron in quantum electrodynamics, 70.
- DE GRANDPRÉ, J.-L.—See Demers, P.
- DEKKER, A. J.—See Lipsett, F. R.
- DEMERS, P. ET DE GRANDPRÉ, J.-L.—Ballons de matière plastique fabriqués par un nouveau procédé, 235.
- DENESUK, S. A.—See Johns, H. E.
- DIXON, W. R. and WHYTE, G. N.—Search for anomalous absorption of $Ra(B + C) \gamma$ rays, 438.
- DOUGLAS, A. E.—The near ultraviolet bands of N_2^+ and the dissociation energies of the N_2^+ and N_2 molecules, 302.
- DUCKWORTH, H. E.—See Hogg, B. G.
- DUNN, A. F.—See Romanowski, M.
- DYNE, P. J.—A new band system excited in acetylene, 79.
- FALKOFF, D. L., COLLADAY, G. S., and SELLS, R. E.—Transformation amplitudes for vector addition of angular momentum; $(j3mm' | j3JM)$, 253.
- GRAHAM, R. L.—See Bell, R. E.
- GRAHAM, R. L., WOLFSON, J. L., and BELL, R. E.—The disintegration of Tm^{170} , 459.
- GRAYSON-SMITH, H. and STURROCK, R. F.—Dielectric behavior at the second-order transitions in chromium sulphate, chromium nitrate, and nickel nitrate, 26.
- GREENBERG, L. H. and HAPP, W. W.—Design and operation of a 'mean deviation meter', 317.
- GRUENBERG, H.—Symmetrically placed inductive posts in rectangular wave guide, 211.
- GUPTILL, E. W. and MACDONALD, A. D.—The acoustical field near a circular transducer, 119.
- HAPP, W. W.—See Greenberg, L. H.; Keeping, E. S.
- HAPP, W. W., HULL, T. E., and MORRISH, A. H.—A statistical analysis of grain counting in photographic emulsions, 699.
- HARROLD, J. H.—See Crawford, M. F.
- HASLAM, R. N. H.—See Horsley, R. J.
- HASLAM, R. N. H., CAMERON, A. G. W., COOKE, J. A., and CROSBY, E. H.—Alpha particles from the photodisintegration of silver and bromine, 349.
- HASLAM, R. N. H., SUMMERS-GILL, R. G., and CROSBY, E. H.—The measurement of photo-nuclear cross sections in isotopes leading to short-lived decay products, 257.
- HENRY, W. G. and RAYNOR, G. V.—Superlattice studies in the systems silver-magnesium-tin and silver-magnesium-zinc, 412.
- HERZBERG, G.—Forbidden transitions in diatomic molecules. II. The ${}^1\Sigma_u^+ \leftarrow {}^3\Sigma_g^-$ absorption bands of the oxygen molecule, 185.
- HESS, F. G.—Some directional correlation functions for successive nuclear radiations, 130.
- HINES, C. O.—Electromagnetic energy density and flux, 123.
- HOGG, B. G. and DUCKWORTH, H. E.—Some atomic masses for tellurium, 628 (L). A mass spectrographic determination of the decay energies of Rh^{102} and Rh^{104} , 637.
- HORSLEY, R. J., HASLAM, R. N. H., and JOHNS, H. E.—Gamma-neutron reactions in O^{16} and N^{14} , 159.

- HULL, T. E.—See Happ, W. W.
 JAMES, D. B.—See Barnes, C. A.
 JOHNS, H. E.—See Horsley, R. J.
 JOHNS, H. E., CORMACK, D. V., DENESUK, S. A., and WHITMORE, G. F.—Initial distribution of Compton electrons, 556.
 KATZ, L., PEASE, L., and MOODY, H.—The photoneutron cross sections for the reactions $\text{Br}^{81}(\gamma, n)\text{Br}^{80}$ and $\text{Br}^{81}(\gamma, n)\text{Br}^{80*}$ and an analysis of the ratio between these cross sections, 476.
 KATZMAN, J.—See Rose, D. C.
 KEEPING, E. S. and HAPP, W. W.—Statistics of the mean deviation meter, 329.
 KERWIN, L.—Note on the resolving power of mass spectrometers, 503.
 KUSHNERIUK, S. A.—Efficiency of the long boron counter for fast neutrons, 402.
 LAIRD, E. R.—Dielectric properties of some solid proteins at wave lengths 1.7 meters and 3.2 centimeters, 663.
 LEVY, M.—Sur quelques problèmes posés par les méthodes d'analyse des graphiques par le calcul, 147.
 LIPSETT, F. R. and DEKKER, A. J.—Fluorescent spectra of some organic solid solutions, 165.
 LOVE, G. R.—See Welsh, H. L.
 McDIARMID, I. B.—The energy spectrum of the X rays from a 70-Mev. synchrotron, 670.
 MACDONALD, A. D.—See Guptill, E. W.
 MACDONALD, A. D. and BETTS, D. D.—High frequency gas discharge breakdown in neon, 565.
 MCKAY, C. D.—See Scheidegger, A. E.
 McLAUCHLAN, T. A.—See Sennett, R. S.
 MARTIN, W. M. and BRECKON, S. W.—The new radioactive isotopes vanadium 46, manganese 50, cobalt 54, 643.
 MEI, J. Y.—Size distribution of cosmic ray stars in photographic emulsions, 453.
 MEI, J. Y. and PICKUP, E.—Slow π -mesons in cosmic-ray stars and the negative-positive π -meson ratio, 430.
 MONTALBETTI, R.—Nomogram of lifetime-energy-spin for gamma-ray transitions, 660.
 MOODY, H.—See Katz, L.
 MORRISH, A. H.—See Happ, W. W.
 NEAMTAN, S. M. and VOGT, E.—Boundary conditions in the mechanics of fields, 684.
 NEILSON, G. C.—See Barnes, C. A.
 NEWTON, T. D.—The collision matrix for the compound nucleus, 53.
 OSBORNE, F. J. FITZ.—A simple activation for BeCu multipliers, 658.
 PAGHIS, I.—Surface losses in electromagnetic cavity resonators, 174.
 PASHLER, P. E.—See Welsh, H. L.
 PEASE, L.—See Katz, L.
 PETCH, H. E.—See Bell, R. E.; Volkoff, G. M.
 PICKUP, E.—See Mei, J. Y.
 POPE, N. K.—The theory of neutron diffraction by gases. I, 597.
 PRESTON-THOMAS, H.—The superconductive transition in lead, 626 (L).
 RAYNOR, G. V.—See Henry, W. G.
 REDHEAD, P. A.—A linear radio-frequency mass spectrometer, 1.
 ROMANOWSKI, M.—Modified bridge method for absolute determination of ohm, 631.
 ROMANOWSKI, M. and DUNN, A. F.—A note on the sensitivity of electrical bridge networks, 342.
 ROSE, D. C. and KATZMAN, J.—Radioactive deposits found at Ottawa after the atomic explosions of January and February 1951, 111.
 ROSE, D. C. and VOISIN, A. G.—The low energy spectrum of cosmic-ray mesons at sea level at high geomagnetic latitudes, 373.
 SCHEIDEGGER, A. E.—Physical aspects of the contraction hypothesis of orogenesis, 14.
 SCHEIDEGGER, A. E. and MCKAY, C. D.—On the thermodynamics of wave fields, 117.
 SCOTT, G. D.—See Sennett, R. S.
 SELLS, R. E.—See Falkoff, D. E.
 SENNETT, R. S., McLAUCHLAN, T. A., and SCOTT, G. D.—Electron microscope studies of evaporated cadmium and zinc, 370.
 SHANMUGADHASAN, S.—The dynamical theory of magnetic monopoles, 218. Spinors in the dynamical theory of spinning particles, 226.
 SMELLIE, D. W. L.—See Volkoff, G. M.
 STOICHEFF, B. P.—See Welsh, H. L.
 STURROCK, R. F.—See Grayson-Smith, H.
 SUMMERS-GILL, R. G.—See Haslam, R. N. H.
 TECHTSONIAN, E. and CHALMERS, B.—Further observations on the macromosaic structure of tin single crystals, 388.
 THOMAS, T. R.—See Welsh, H. L.
 VOGT, E.—See Neamtan, S. M.
 VOISIN, A. G.—See Rose, D. C.

- VOLKOFF, G. M., PETCH, H. E., and SMELLIE, D. W. L.—Nuclear electric quadrupole interaction in single crystals, 270.
- WAIT, J. R.—Mutual inductance of circuits on a two layer earth, 450. Electromagnetic fields of current-carrying wires in a conducting medium, 512.
- WEINBERG, F. and CHALMERS, B.—Further observations on dendritic growth in metals, 488.
- WELSH, H. L.—See Crawford, M. F.
- WELSH, H. L., CRAWFORD, M. F., THOMAS, T. R., and LOVE, G. R.—Raman spectroscopy of low pressure gases and vapors, 577.
- WELSH, H. L., PASHLER, P. E., and STOICHEFF, B. P.—Density effects in the Raman spectrum of carbon dioxide, 99.
- WHITMORE, G. F.—See Johns, H. E.
- WHYTE, G. N.—On the γ -ray spectrum of $\text{Ra}(\text{B} + \text{C})$, 442. See Dixon, W. R.
- WINEGARD, W. C. and CHALMERS, B.—Self-diffusion at silver surfaces, 422.
- WOLFSON, J. L.—A determination of the multipole character of the 637 and 722 kev. γ -ray transitions in Xe^{131} , 715 (L). See Graham, R. L.
- WU, TA-YOU.—The intensities of harmonic bands of the HD molecule, 291.

ADDITIONS AND CORRECTIONS

Vol. 29, pp. 470-479, 1951. The author of this paper has submitted the following changes:

- (1) On p. 473, at the end of the second line after equation (22), for $J^c F_{43}/i \equiv cq$, write $J^c F_{43}/i$; i.e., omit $\equiv cq$.
- (2) Prior to p. 475, for ξ write ξ^1 . Otherwise write ξ which, of course, is the physically significant parameter.
- (3) On p. 475, to the line containing equation (42) add $(\tilde{\gamma}^4 \equiv iq)$, $(\xi \equiv -i\xi^1)$.

None of the conclusions of the paper are affected by these changes in the symbolism."

Vol. 30, p. 1. In the **Abstract**, Line 2, "tin ions" should read "the ions".